

SPC
F L O O R I N G



SIYATONE
S U R F A C E S

SPC
F L O O R I N G

INTRODUCTION

1



Index

3

FEATURES



2

PRODUCT
COMPOSITION

4

COLLECTION



INTRODUCTION




Siyatone SPC Flooring combines durability, elegance, and innovation to create the perfect flooring solution for modern spaces. Designed to withstand daily wear and tear, it is 100% waterproof, scratch-resistant, and easy to maintain, making it an ideal choice for homes, offices, and commercial areas. With its sleek and stylish finish, Siyatone enhances interiors with a sophisticated touch while ensuring long-lasting performance. Whether you seek resilience, comfort, or aesthetics, Siyatone SPC Flooring delivers on all fronts, transforming your space with unmatched quality and design.



PRODUCT COMPOSITION

Where strength meets sophistication, Durora SPC flooring redefines luxury with resilience. Inspired by nature and crafted for modern living, each plank delivers the warmth of wood with the durability of stone. Scratch-resistant, waterproof, and built to withstand time, Durora ensures elegance that lasts in every space. From cozy homes to high-traffic areas, experience flooring that blends beauty with endurance—because your foundation should be as strong as your style.



UNICLIC®
PATENTED TECHNOLOGY





SUPERIOR
COLLECTION

Heart of Home

WHERE EVERY STEP TELLS A STORY



Easy
To Clean



100%
Waterproof



Patented Interlock
System For
Easy Installation



Real
To Touch
Texture




Fire
Retardant



High
Dimensional
Stability

Comfort

SPC Flooring is a celebration of sophistication, where every tile embodies the perfect fusion of opulence and refinement. Inspired by soft textures, rich hues, and seamless finishes, this collection transforms interiors into luxurious sanctuaries. The catalogue theme revolves around "Sensory Elegance," focusing on how these tiles not only look exquisite but also feel effortlessly smooth, enhancing the ambiance of any space.





SPC tiles blend the warmth of natural wood with advanced durability. Offering elegance and resilience, they create a lasting, sophisticated flooring solution for modern homes.



Recyclable



**Excellent
Acoustic**



**No Termite
No Bugs**



**Scratch
& Stain
Resistant**






The Art of
Luxury



AUTHENTIC WARMTH, ENDURING STRENGTH.

Bringing the essence of nature indoors, our SPC tiles capture the warmth of wood with modern durability. Designed for elegance and endurance, they create inviting spaces that blend natural beauty with contemporary charm.





QUERCUS GRISEA	QUERCUS BUR
WHITE RIGID	ANCIENT QUERCUS
ACER BEIGE	ACER BROWN
COLUMBIA OAK	FITTON RUSTIC
SEA WOOD	ARIZONA BROWN
HILLY GREY	BEANTOWN GRAY
CHARNWOOD QUERCUC	FRAXINUS
QUERCUS CINNAMON	WINDY GRIS
GREAT ELM NATURAL	ALPINE CHARCOL

QUERCUS
GRISEA

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





QUERCUS GRISEA

WHITE RIGID

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





WHITE RIGID

ACER BEIGE

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ACER BEIGE

COLUMBIA
OAK

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





SEA WOOD

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





HILLY GREY

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





HILLY GREY

CHARNWOOD
QUERCUS

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





QURECUS
CINNAMON

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





GREAT ELM
NATURAL

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





GREAT ELM NATURAL

QUERCUS BUR

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





QUERCUS BUR

ANCIENT
QUERCUS

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ANCIENT QUERCUS

ACER BROWN

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ACER BROWN

FITTON RUSTIC

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ARIZONA
BROWN

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ARIZONA BROWN

BEANTOWN
GRAY

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





BEANTOWN GRAY

FRAXINUS

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





WINDY GRIS

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





WINDY GRIS

ALPINE
CHARCOAL

▼
5 TO 7.5 MM
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT
RANDOM



HERRINGBONE
ONLY AVAILABLE IN
(155X914 MM)



SPC
FLOORING



Heavy
Use.



High Impact
Resistance



EcoFriendly
Materials



Sound
Insulation





ALPINE CHARCOAL



SIYATONE
S U R F A C E S

SIYATONE SURFACE LLC (USA)

5940 W Touhy Ave #310b, Niles,
IL 60714, USA

Call on : +1 (847) 505-2160
Email : SPC@siyatone.com

SIYATONE SURFACES (INDIA)

SIYATONE, Jetpar Road, Near Rangpar Village,
Morbi - 363 642 (Gujarat- INDIA)

Call on : +91 97125 27444
Email : SPC@siyatone.com