

**SPC**  
F L O O R I N G



**SIYATONE**  
S U R F A C E S



**SPC**  
FLOORING

INTRODUCTION

1



Index

3

FEATURES



2

PRODUCT  
COMPOSITION

4

COLLECTION





## INTRODUCTION




Siyatone SPC Flooring combines durability, elegance, and innovation to create the perfect flooring solution for modern spaces. Designed to withstand daily wear and tear, it is 100% waterproof, scratch-resistant, and easy to maintain, making it an ideal choice for homes, offices, and commercial areas. With its sleek and stylish finish, Siyatone enhances interiors with a sophisticated touch while ensuring long-lasting performance. Whether you seek resilience, comfort, or aesthetics, Siyatone SPC Flooring delivers on all fronts, transforming your space with unmatched quality and design.






## PRODUCT COMPOSITION

Where strength meets sophistication, Durora SPC flooring redefines luxury with resilience. Inspired by nature and crafted for modern living, each plank delivers the warmth of wood with the durability of stone. Scratch-resistant, waterproof, and built to withstand time, Durora ensures elegance that lasts in every space. From cozy homes to high-traffic areas, experience flooring that blends beauty with endurance—because your foundation should be as strong as your style.



**UNICLIC**®  
PATENTED TECHNOLOGY







**GRACE**  
COLLECTION

# Heart of Home

WHERE EVERY STEP TELLS A STORY



Easy  
To Clean



100%  
Waterproof



Patented Interlock  
System For  
Easy Installation



Real  
To Touch  
Texture



Fire  
Retardant




High  
Dimensional  
Stability



# Comfort

SPC Flooring is a celebration of sophistication, where every tile embodies the perfect fusion of opulence and refinement. Inspired by soft textures, rich hues, and seamless finishes, this collection transforms interiors into luxurious sanctuaries. The catalogue theme revolves around "Sensory Elegance," focusing on how these tiles not only look exquisite but also feel effortlessly smooth, enhancing the ambiance of any space.







SPC tiles blend the warmth of natural wood with advanced durability. Offering elegance and resilience, they create a lasting, sophisticated flooring solution for modern homes.



**Recyclable**



**Excellent  
Acoustic**



**No Termite  
No Bugs**



**Scratch  
& Stain  
Resistant**








The Art of  
**Luxury**



## AUTHENTIC WARMTH, ENDURING STRENGTH.

Bringing the essence of nature indoors, our SPC tiles capture the warmth of wood with modern durability. Designed for elegance and endurance, they create inviting spaces that blend natural beauty with contemporary charm.







CANYON

QUERCUS SILKY

OAK SCARLET

OLD QUERCUS

GENUINE OAK

WATTLES BROWN

PARVULA

TRADITIONAL QUERCUS

PERSIAN WALNUT

AFRICAN PADAUK

WATTLES DARK



CANYON

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation









QUERCUS  
SILKY

▼  
**5 TO 7.5 MM**  
THICKNESS ▲


SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







QUERCUS SILKY



OAK SCARLFT

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







OAK SCARLET



OLD QUERCUS

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.




High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation









GENIUNE OAK

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM


230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







GENIUNE OAK



WATTLES  
BROWN

▼  
5 TO 7.5 MM  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



SPC  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







WATTLES BROWN



PARVULA

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation









TRADITIONAL  
QUERCUS

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







TRADITIONAL QUERCUS



PERSIAN  
WALNUT

▼  
**5 TO 7.5 MM**  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



**SPC**  
FLOORING



Heavy  
Use.




High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







PERSIAN WALNUT



AFRICAN  
PADAUK

▼  
5 TO 7.5 MM  
THICKNESS ▲


SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



SPC  
FLOORING



Heavy  
Use.



High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







AFRICAN PADAUK



WATTLES  
DARK

▼  
5 TO 7.5 MM  
THICKNESS ▲

SPC flooring combines natural elegance with superior durability for a stylish, long-lasting surface.

155X914MM

181X1220MM

230X1220MM

230X1524MM



STRAIGHT  
RANDOM



HERRINGBONE  
ONLY AVAILABLE IN  
( 155X914 MM )



SPC  
FLOORING



Heavy  
Use.




High Impact  
Resistance



EcoFriendly  
Materials



Sound  
Insulation







WATTLES DARK





**SIYATONE**  
S U R F A C E S

**SIYATONE SURFACE LLC (USA)**

5940 W Touhy Ave #310b, Niles,  
IL 60714, USA

Call on : +1 (847) 505-2160  
Email : SPC@siyatone.com

**SIYATONE SURFACES (INDIA)**

SIYATONE, Jetpar Road, Near Rangpar Village,  
Morbi - 363 642 (Gujarat- INDIA)

Call on : +91 97125 27444  
Email : SPC@siyatone.com